




product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS


1. Shutters Styles




Full Height



Cafe Style



Tier on Tier




Tracked Bi-Folding



Tracked Bi-Pass



Special Shapes



French Cut Doors




product specification


ENDURA ABS PAULOWNIA WOOD SHUTTERS

2. Shutter Shapes


2.1 Rectangular Shapes




Rectangular Window



3 Section Bay Window



Box Bay Window



Bow Bay Window




product specification


ENDURA ABS PAULOWNIA WOOD SHUTTERS

2. Window Shapes


2.2 Special Shaped Windows



Angled



Triangular



Raked



Circle (Round)



Quarter Round



Eye brow Sunburst



Elongated Eye brow Sunburst



Half Round Sunburst




product specification


ENDURA ABS PAULOWNIA WOOD SHUTTERS

2. Window Shapes


2.2 Special Shaped Windows




Hexagonal




Octagonal




Multi Panel Arched



Sunburst at top
with T post



Sunburst at top
with Divider Strip



Sunburst Panel
With Frame



product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS

3.1 Stiles Applicable

41.3mm



Wood ABS

41.3mm Plain Stile Square

41.3mm



Wood ABS

41.3mm Plain Stile Rebated

41.3mm



Wood ABS

41.3mm Plain Stile Astragal

50.8mm



Wood ABS

50.8mm Plain Stile Square

50.8mm



Wood ABS

50.8mm Plain Stile Astragal



product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS


3.2 Stiles Applicable



50.8mm Beaded Stile Plain



50.8mm Beaded Stile Rebated



50.8mm Beaded Stile Astragal




product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS

4.1 Wood Frames



L46 Plain




L60 Plain


4.2 Composite Frames



L46 Plain



L46 Front Fix




L46 Side Fix




L46 Front & Side Fix




L60 Plain



L60 Front Fix



L60 Side Fix



L60 Front & Side Fix



product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS



COMPOSITE

Small Z Frame Plain



COMPOSITE

Small Z Frame Side Fix



COMPOSITE

Large Z Frame Plain



COMPOSITE

Large Z Frame Side Fix



COMPOSITE

Architrave Z Frame



COMPOSITE

Deco Frame



COMPOSITE

Blackout Blinds Frame



product specification

ENDURA
ABS PAULOWNIA
WOOD SHUTTERS

5.1 Louvres Applicable


64 MM



76 MM



89 MM



1-Way Closing and 2-Way Closing Louvres Available.




product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS


5.2 Bay Window – Measurement of Corner and Bay Posts

Inside Mount

Corner post: Measure the size from the left of the opening to the centre point of each corner post. See CP1 / CP2, that is $W1 / W1 + W2$.



Bay post: Measure the size from the left of the opening to the centre point of each bay post. See BP1 / BP2, that is $W1 / W1 + W2$.



Outside Mount

Corner post: Measure the size from the left of the frame to the centre point of each corner post. See CP1 / CP2, that is $W1 / W1 + W2$.



Bay post: Measure the size from the left of the frame to the centre point of each bay post. See BP1 / BP2, that is $W1 / W1 + W2$.






product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS


5.3 Bi-Fold Tracking System

RECESSED BOTTOM TRACK WITH BOTTOM BOARD


Inside Mount




Outside Mount



TOP TRACK POSITION



TOP TRACK POSITION






product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS

5.3 Bi-Fold Tracking System


BOTTOM TRACK POSITION




The bottom track is fully recessed into the bottom board at 22mm from the edge of the bottom board to the centre of it. If there's no bottom board, then the bottom track will be installed into the floor and needs to be aligned with the top track.

HEADER & SIDE BOARD

Maximum length of Pelmet and Fascia is 3600mm, if over this, then we use 2 pieces of the same length components to be joined on site.




Lightblock





Fascia

Inside Mount



Outside Mount




We will supply the lightblock for both inside and outside mount in the same length with header and side board.




product specification

ENDURA ABS PAULOWNIA WOOD SHUTTERS


6. Colours Available



SF01 Pure White



SF02 Silk White




SF03 Lustre




SF04 Dusk



SF05 Oyster



SF06 Ivory Lace



SF07 Sea Perl



SF08 Picasso



SF09 Hall Grey



SF10 Stone Grey



SF11 Brown Gray



SF12 Antracite



SF13 Black in Paint

Custom Colour option Available.



7. Hinges Available




Pure White



White



Pearl



Stainless Steel



Nickel



Bright Brass



Antique Brass



Black



Hidden Hinges

Shutter Colour Matching for Hinges Available.



SHUTTERS[®]
FACTORY
product specification

ENDURA
ABS PAULOWNIA
WOOD SHUTTERS

8. Manufacturing Constraints

	single hung	bi fold	multi fold (3)
Min. Panel Width:	200mm	200mm	200mm
Max. Panel Width:	900mm	650mm	450mm

In the case of Bi-Pass Tracked Shutters, maximum panel width is 900mm.

Max. No. of panels hinged on one side: 3

Max. No. of Tracked Panels folding in one direction: 6 (LLLLLLRRRRRR)

Panel height restriction(with Split Louvre): maximum height 1370mm

Panel height restriction(with one mid rail): maximum height 1800mm

Panel height restriction(with two mid rail): maximum height 2500mm

Panel height restriction(with three mid rail): maximum height 3000mm

Panels over 1800mm will be required to have at least 1 mid rail.