



# Cardale Warranty Information

Call Us Now 0800 559 3552

Certified by:



**Cardale Garage Doors LTD**  
Units 5-9 North Luton Industrial Estate  
E: [customerservice@cardale.co.uk](mailto:customerservice@cardale.co.uk)  
[www.cardale.com](http://www.cardale.com)



---

Sectional Door Warranty	<b>03</b>
Up and Over Door Warranty	<b>06</b>
Roller Door Warranty	<b>09</b>
Side Hung Door Warranty	<b>12</b>
Operators and Accessories Warranty	<b>15</b>

# SECTIONAL DOOR WARRANTY



### OUR PROMISE

During the warranty period, we undertake to rectify any defects to the Cardale product, which can be proven to be attributed to a material or manufacturing defect.

We promise, at our discretion, to either exchange the defective merchandise, repair it, or allow a reduction in price.

Replacement parts remain our property.

### WHAT IS COVERED

Subject to the terms and conditions outlined in this document, sectional garage doors offer the following warranty:

- 10 Years – Safe and Reliable Operation (for use up to 5 open/close cycles per day)
- 10 years – Structural Integrity of Door Panels
- 10 years – Panel Corrosion
- 10 years – On Immovable Frame Parts
- 5 years – Finish (all colours)
- 2 years – Movable and Mechanical parts (including, but not limited to, wheels and brackets on the door panel, lock mechanism, lock barrel)

### DOOR FINISH

Our sectional doors are fully finished with a sprayed colour finish or with a foil backed laminated finish. Weathering and sun exposure can cause the finish to fade. We guarantee the finish on doors for five years on laminated finishes and that any fading will be minimal and uniform, providing the door is maintained in accordance with the care and maintenance advice.

### CORROSION

Doors situated in 'high corrosive' areas such as within three miles of the sea, or a large body of saltwater, are not covered for rust or corrosion of steel parts. Cleaning of the doors is especially important in these locations.

### WARRANTY REQUIREMENTS

This warranty only covers damage to the purchased garage door or garage door operator. You will be required to show a fully completed warranty service passport (service to be conducted by a qualified engineer annually), together with a receipt of purchase, which substantiates your right to claim under warranty. The finish on doors is exempt from the service requirements. In the event of a claim, please contact the company that supplied/ installed the doors. They will raise the warranty on your behalf.

During the claims process, a site inspection may be required. For this, we will send an independent assessor. Should this



inspection indicate the fault was not caused by a manufacturing defect, you will be liable for the cost of a non-warranty call out. The cost of the call out will be advised prior to the arranged visit.

Cardale will not accept consequential costs for installation or de-installation, the inspection of parts, transport, and postage costs.

### CARE AND MAINTENANCE

Your door should be kept clean, with any stains removed as soon as possible. You should also ensure the door does not come into contact with any caustic or acidic substance which could damage the door surface or structure. Your door should be cleaned thoroughly approximately every 2-3 months (in coastal areas or areas close to large bodies of saltwater, this should be done weekly) using warm water and a soft cloth or sponge. Allow the door to dry naturally. Never use detergent, abrasive, caustic, or solvent-based cleaners.

Lubricate all springs, latches, wheel spindles, and pivot points using light lubricating oil (e.g., 3-in-1). Take care not to allow oil to drip onto the face of the door. Ensure track runners are clean and free from obstacles at all times. Check moving parts for signs of wear. If any wear is detected, arrange for these to be replaced as soon as possible (failure to replace these parts can invalidate your warranty). Do not paint springs or any moving parts

For automated doors, do not operate the door when not within visual range.

## WHAT IS NOT COVERED?

- Improper installation, negligent care, and maintenance - doors that have not been maintained or had annual maintenance/servicing
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences, such as fire, water, salts, alkaline solutions, acids, and any abnormal environmental influences, sunlight
- Mechanical damage, through improper transport and fitting, or through falling or hitting objects
- Repair by non-qualified persons
- Using non-Cardale parts without the written approval of the manufacturer
- Removal of the product number, or making it unidentifiable
- Application of additional, non-approved weights or infills
- Failure to remove the protective film or packaging provided with the product, where applicable
- Failures caused by extreme or abnormal weather conditions

## VISUAL STANDARDS CHECK

Visual standards checks must be carried out prior to a warranty submission. This check should be carried out in natural daylight, not direct sunlight, standing at a distance of 3m from the door to view the overall appearance. Doors are acceptable if the following are not readily visible on the face of the door:

- Marks or distortion associated with the manufacturing process
- Minor indentations, marks, or scuffs on the surface
- Paint or stain blemishes

# UP AND OVER DOOR **WARRANTY**



## OUR PROMISE

During the warranty period, we undertake to rectify any defects to the Cardale product, which can be proven to be attributed to a material or manufacturing defect.

We promise, at our discretion, to either exchange the defective merchandise, repair it, or allow a reduction in price.

Replacement parts remain our property.



## WHAT IS COVERED

Subject to the terms and conditions outlined in this document. Up and over doors offer the warranty:

- 10 Years – Safe and Reliable Operation (for use up to 5 open/close cycles per day)
- 10 years – Structural Integrity of Door Panels
- 10 years – Panel Corrosion
- 10 years – Retractable Doors (2 years on canopy doors) on Immovable Frame Parts
- 5 years – Paint Finish Steel Doors
- 2 years – Finish on Fully Finished Timber & GRP Doors
- 2 years – Movable and Mechanical Parts (including, but not limited to, springs, rollers wheels, locking points, rods/cables, barrel and locking mechanisms)

## DOOR FINISH

Our steel up and over doors are fully finished with powder coat paint. Weathering and sun exposure can cause the finish to fade. We guarantee the finish on steel doors for five years, two years on fully finished timber and GRP doors, and that any fading will be minimal and uniform, providing the door is maintained in accordance with the care and maintenance advice. Timber doors are supplied with a basecoat as standard or with an option for fully finished. For basecoat doors, upon unwrapping the door, one coat of good quality basecoat primer must be applied to both sides of the door. Immediately after installation, your doors will require two further coats of a good quality exterior wood finish on both sides. Initial application and periodic treatment should be carried out in accordance with the manufacturer's specifications.

## CORROSION

Doors situated in 'high corrosive' areas such as within 3 miles of the sea, or a large body of salt water are not covered for rust or corrosion of steel parts. Cleaning of the doors is especially important in these locations.

## WARRANTY REQUIREMENTS

This warranty only covers damage to the purchased garage door or garage door operator. You will be required to show a fully completed warranty service passport (service to be conducted by a qualified engineer annually), together with a receipt of purchase, which substantiates your right to claim under warranty. The finish on doors is exempt from the service requirements. In the event of a claim, please contact the company that supplied/ installed the doors. They will raise the warranty on your behalf.

For Basecoat timber doors, these must be suitably finished immediately on installation for the guarantee to apply.

During the claims process, a site inspection may be required. For this, we will send an independent assessor. Should this inspection indicate the fault was not caused by a manufacturing defect, you will be liable for the cost of a non-warranty call out. The cost of the call out will be advised prior to the arranged visit.

Cardale will not accept consequential costs for installation or de-installation, the inspection of parts, transport, and postage costs.

### CARE AND MAINTENANCE

Your door should be kept clean, with any stains removed as soon as possible. You should also ensure that the door does not come into contact with any caustic or acidic substance, which could damage the door surface or structure. Your door should be cleaned thoroughly approximately every 2-3 months (in coastal areas or areas close to large bodies of saltwater, this should be done weekly) using warm water and a soft cloth or sponge. Allow the door to dry naturally. Never use detergent, abrasive, caustic, or solvent-based cleaners.

Lubricate all springs, latches, wheel spindles, and pivot points using light lubricating oil (e.g. 3-in-1). Take care not to allow oil to drip onto the face of the door. Ensure track runners are clean and free from obstacles at all times. Check moving parts for signs of wear. If any wear is detected, arrange for these to be replaced as soon as possible (failure to replace these parts can invalidate your warranty). Do not paint springs or any moving parts

For automated doors (retractable), do not operate the door when not within visual range.

### WHAT IS NOT COVERED

- Improper installation, negligent care and maintenance - doors that have not been maintained or had annual maintenance/ servicing
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences, such as fire, water, salts, alkaline solutions, acids, and any abnormal environmental influences, sunlight
- Mechanical damage, through improper transport and fitting, or through falling or hitting objects
- Repair by non-qualified persons
- Using non-Cardale parts without the written approval of the manufacturer
- Removal of the product number, or making it unidentifiable,
- Application of additional, non-approved weights or infills
- Failure to remove the protective film or packaging provided with the product, where applicable
- Failures caused by extreme or abnormal weather conditions

### VISUAL STANDARDS CHECK

Visual standards checks must be carried out prior to a warranty submission. This check should be carried out in natural daylight, not direct sunlight, standing at a distance of 3m from the door to view the overall appearance. Doors are acceptable if the following are not readily visible on the face of the door:

- Marks or distortion associated with the manufacturing process
- Minor indentations, marks, or scuffs on the surface
- Paint or stain blemishes



# ROLLER DOOR WARRANTY



### OUR PROMISE

During the warranty period, we undertake to rectify any defects to the Cardale product, which can be proven to be attributed to a material or manufacturing defect.


We promise, at our discretion, to either exchange the defective merchandise, repair it, or allow a reduction in price.

Replacement parts remain our property.

### WHAT IS COVERED

Subject to the terms and conditions outlined in this document. Insulated roller doors offer the following warranty:

- 5 years – Motor
- 5 years – Control Unit
- 2 years – Remote Controls and Accessories (excluding batteries, bulbs, and fuses)
- 5 years – Lath Finish
- 2 years – Movable and Mechanical Parts (including but not limited to locking straps and rings, safety brake.)



### LATH FINISH

Our roller doors come in two finishes: a polyester powder coat and a woodgrain laminate. Weathering and sun exposure can cause the laths to fade. We guarantee the finish for five years and that any fading will be minimal and uniform, providing the door is maintained in accordance with the care and maintenance advice.

### CORROSION

Doors situated in 'high corrosive' areas such as within three miles of the sea, or a large body of saltwater, are not covered for rust or corrosion of steel parts. Cleaning of the doors is especially important in these locations.

### WARRANTY REQUIREMENTS

This warranty only covers damage to the purchased garage door or garage door operator. A visual standards check will need to be carried out. You will also be required to show a fully completed warranty service passport (service to be conducted by a qualified engineer annually), together with a receipt of purchase, which correspondingly substantiates your right to claim under warranty. The finish on doors is exempt from the service requirements. In the event of a claim, please contact the company that supplied/ installed the doors. They will raise the warranty on your behalf.

Please note that due to the rolling action of the door, surface

marking can be caused by security locks, dust and debris. This does not constitute a product fault, and performance is not affected in any way.

During the claims process, a site inspection may be required. For this, we will send an independent assessor. Should this inspection indicate the fault was not caused by a manufacturing defect, you will be liable for the cost of a non-warranty call out. The cost of the call out will be advised prior to the arranged visit.

Cardale will not accept consequential costs for installation or de-installation, the inspection of parts, transport, and postage costs.

### CARE AND MAINTENANCE

Your door should be kept clean with any stains removed as soon as possible. You should also ensure that the door does not come into contact with any caustic or acidic substance which could damage the door surface or structure. Your door should be cleaned thoroughly approximately every 2-3 months (in coastal areas or areas close to large bodies of saltwater, this should be done weekly) using warm water and a soft cloth or sponge. Allow the door to dry naturally. Never use detergent, abrasive, caustic, or solvent-based cleaners. With roller doors, it is particularly important to keep the doors clean due to the nature of a roller; any soiling can rub on the laths, causing damage.

Ensure that the guides are clear and free from debris, allowing continual smooth operation. Do not operate the door when not within visual range.



### WHAT IS NOT COVERED?

- Improper installation, negligent care and maintenance - doors that have not been maintained or had annual maintenance/ servicing
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences, such as fire, water, salts, alkaline solutions, acids, and any abnormal environmental influences, sunlight
- Mechanical damage, through improper transport and fitting, or through falling or hitting objects
- Repair by non-qualified persons
- Using non-Cardale parts without the written approval of the manufacturer
- Removal of the product number, or making it unidentifiable
- Application of additional, non-approved weights or infills
- Failure to remove the protective film or packaging provided with the product, where applicable
- Failures caused by extreme or abnormal weather conditions

### EXTREME WEATHER CONDITIONS


In extreme heavy storms, laths could be susceptible to water ingress. Also, during gale force winds where the door is positioned within full force of the wind, there is a possibility of the door curtain being blown inwards/ out of the doors' guides.

### VISUAL STANDARDS CHECK

A visual standards check must be carried out prior to a warranty submission. This check should be carried out in natural daylight, not direct sunlight, standing at a distance of 3m from the door to view the overall appearance. Doors are acceptable if the following are not readily visible on the face of the door:

- Marks or distortion associated with the manufacturing process
- Minor indentations, marks, or scuffs on the surface
- Paint or stain blemishes

# SIDE HUNG DOOR WARRANTY



### OUR PROMISE

During the warranty period, we undertake to rectify any defects to the Cardale product which can be proven to be attributed to a material or manufacturing defect.

We promise, at our discretion, to either exchange the defective merchandise, repair it, or allow a reduction in price.

Replacement parts remain our property.

### WHAT IS COVERED

Subject to the terms and conditions outlined in this document. Side hung doors offer the warranty:

- 10 Years – Safe and Reliable Operation (for use up to 5 open/close cycles per day)
- 10 years – Structural Integrity of Door Panels
- 10 years – Panel Corrosion
- 10 years – On Immovable Frame Parts
- 5 years – Paint Finish
- 2 years – Movable and Mechanical Parts (including, but not limited to, locking points, door stays, lock mechanism, lock barrel)

### DOOR FINISH

Our steel side hung doors are fully finished with powder coat paint. Weathering and sun exposure can cause the finish to fade. We guarantee the finish on doors for five years and that any fading will be minimal and uniform, providing the door is maintained in accordance with the care and maintenance advice. Timber doors are supplied with a basecoat as standard or with an option for fully finished.

### CORROSION

Doors situated in 'high corrosive' areas such as within three miles of the sea or a large body of saltwater are not covered for rust or corrosion of steel parts. Cleaning of the doors is especially important in these locations.

### WARRANTY REQUIREMENTS

This warranty only covers damage to the purchased garage door or garage door operator. You will be required to show a fully completed warranty service passport (service to be conducted by a qualified engineer annually), together with a receipt of purchase, which substantiates your right to claim under warranty. The finish on doors is exempt from the service requirements. In the event of a claim, please contact the company that supplied/ installed the doors. They will raise the warranty on your behalf.



For Basecoat timber doors, these must be suitably finished immediately on installation for the guarantee to apply. During the claims process, a site inspection may be required. For this, we will send an independent assessor. Should this inspection indicate the fault was not caused by a manufacturing defect, you will be liable for the cost of a non-warranty call out. The cost of the call out will be advised prior to the arranged visit.

Cardale will not accept consequential costs for installation or de-installation, the inspection of parts, transport, and postage costs.

### CARE AND MAINTENANCE

Your door should be kept clean, with any stains removed as soon as possible. You should also ensure that the door does not come into contact with any caustic or acidic substance, which could damage the door surface or structure. Your door should be cleaned thoroughly approximately every 2-3 months (in coastal areas or areas close to large bodies of saltwater, this should be done weekly) using warm water and a soft cloth or sponge. Allow the door to dry naturally. Never use detergent, abrasive, caustic, or solvent-based cleaners.

Check moving parts for signs of wear. If any wear is detected, arrange for these to be replaced as soon as possible (failure to replace these parts can invalidate your warranty).

## WHAT IS NOT COVERED?

- Improper installation, negligent care and maintenance - doors that have not been maintained or had annual maintenance/ servicing
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences, such as fire, water, salts, alkaline solutions, acids, and any abnormal environmental influences, sunlight
- Mechanical damage, through improper transport and fitting, or through falling or hitting objects
- Repair by non-qualified persons
- Using non-Cardale parts without the written approval of the manufacturer
- Removal of the product number, or making it unidentifiable
- Application of additional, non-approved weights or infills
- Failure to remove the protective film or packaging provided with the product, where applicable
- Failures caused by extreme or abnormal weather conditions

## VISUAL STANDARDS CHECK

Visual standards checks must be carried out prior to a warranty submission. This check should be carried out in natural daylight, not direct sunlight, standing at a distance of 3m from the door to view the overall appearance. Doors are acceptable if the following are not readily visible on the face of the door:

- Marks or distortion associated with the manufacturing process
- Minor indentations, marks, or scuffs on the surface
- Paint or stain blemishes

# OPERATORS AND ACCESSORIES WARRANTY



### OUR PROMISE

During the warranty period, we undertake to rectify any defects to the Cardale product, which can be proven to be attributed to a material or manufacturing defect.

We promise, at our discretion, to either exchange the defective merchandise, repair it, or allow a price reduction.

Replacement parts remain our property.



### WHAT IS COVERED

Subject to the terms and conditions outlined in this document. Operators and accessories offer the following warranty:

- 5 years – Cardale Operator (DC650T/DC800T)
- 5 Years – Vertiport (sectional)
- 5 years – Novoroll and Teleco control unit (roller doors)
- 2 years - all remote-control parts and accessories (excluding batteries, bulbs, and fuses)

### WARRANTY REQUIREMENTS

This warranty only covers damage to the purchased garage door operator. You will be required to show a receipt of purchase; this substantiates your right to claim under warranty. In the event of a claim, please contact the company that supplied/ installed the doors. They will raise the warranty on your behalf.

During the claims process, a site inspection may be required. For this, we will send an independent assessor. Should this inspection indicate the fault was not caused by a manufacturing defect, you will be liable for the cost of a non-warranty call out. The cost of the call out will be advised prior to the arranged visit.

Cardale will not accept consequential costs for installation or de-installation, the inspection of parts, transport and post-age costs.

### WHAT IS NOT COVERED

- Improper installation, negligent care and maintenance
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences, such as fire, water, salts, alkaline solutions, acids, and any abnormal environmental influences,
- Mechanical damage, through improper transport and fitting, or through falling or hitting objects
- Repair by non-qualified persons
- Using non-Cardale parts without the written approval of the manufacturer
- Removal of the product number, or making it unidentifiable
- Operators used upon a door that exceeds rated lifting capacities
- Failure to remove the protective film or packaging provided with the product, where applicable
- Failures caused by extreme or abnormal weather conditions





# Cardale Warranty Information

Call Us Now 0800 559 3552

Certified by:



**Cardale Garage Doors LTD**  
Units 5-9 North Luton Industrial Estate  
E: [customerservice@cardale.co.uk](mailto:customerservice@cardale.co.uk)  
[www.cardale.com](http://www.cardale.com)