

Series 4, Built-in double oven MBA533BS3B

**The built-in double oven with 3D hot air:
achieve perfect baking and roasting results
on multiple levels simultaneously.**

Features

Top oven additional features

- Oven with 3 heating methods: conventional top/bottom heat, Large-area grill, Small area grill
- Temperature range 50 °C - 275 °C
- Cavity volume: 34 litre capacity

Main oven additional features

- Oven with 5 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, Hotair gentle
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 litre capacity

Top oven

- Oven with 5 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, Hotair gentle

Main oven

- 5 shelf positions
- Available as an additional accessory

Design

- Rotary dial, Retractable control dials, round With steel trim
- Cavity (inner surface) top: Enamel grey
- Cavity (inner surface) bottom: enamel anthracite
- Extra large capacity oven

Cleaning

Top oven

- Full glass inner door

Main oven

- EcoClean Direct : back panel
- Full glass inner door

Programmes/functions

- LED-Display Control (Red)
- Electronic clock timer
- Automatic start
Heating-up indicator
- Interior halogen light
- Straight bar handle

Top oven

- Door hinge small cavity: Drop down oven door

Main oven

- Door hinge big cavity: Drop down door
- Fast pre-heating function
- Integral cooling fan

Accessories

- 3 x combination grid, 1 x universal pan
- Control panel lock

Technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 5.9 KW

Top oven

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode: 0.83 kWh
Number of cavities: Top Cavity
Heat source: electrical

Main oven

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode: 0.83 kWh
Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
Number of cavities: Main Cavity
Heat source: electrical

Performance/technical information

- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- "For-details-on-installation-and-ventilation requirements – please refer to the installation manual prior to fitting."

Level independent telescopic rails

Features

Top Oven

Main Oven

Series 4, Built-in double oven
MBA533BS3B

