744495

PRODUCT FICHE

Appliance status: R Valid from: 3. 06. 2024 00:00:00 Last modification: 10. 07. 2024 02:41:05

Hisense



Oven 744495 BUD714221CX

USP:

Oven type Multifunction oven

Maximum oven temperature 250 °C

Circular heater Yes

Interior light Illumination

Catalytic sides Catalytic oven side

Catalytic fan cover Yes

Basic information:

Brand	HISENSE
Product name/family	Oven
Commercial Code	BUD714221CX
Internal article number	744495
EAN code	3838782876110
Color / Material of Front	VZ065; Brushed stainless steel
Construction type	Built-in
Are some hobs controls integrated?	No
Control Panel Material	Stainless steel
Door Material	Glass
Type of energy supply	N/A
Electrical connection rating	0 W
Voltage	220-240 V
Frequency	50/60 Hz
Length electrical supply cord	150 cm
Net weight	41,8 Kg
Gross weight	46,7 Kg
After sales service USP4 (trademarks/slogans/)	595 mm
Height of the product	723 mm
Depth of the product	575 mm
Min width of installation niche	560 mm
Max width of installation niche	0 mm
Min height of installation niche	720 mm
Max height of installation niche	0 mm
Depth of installation niche	550 mm
Width of the packed product	710 mm
Height f the packed product	815 mm
Depth of the packed product	680 mm

Features:

Cooking method first cavity	N/A
First cavity material	Enamelled steel
Temperature control	N/A
Time control	Electronic
Time-setting Options	Start and stop
Integrated Cleaning system	Catalytic
Interior Lights	N/A
Grids	1
Trays	0
Motorized Turn Spit	No
Cooking method second cavity	N/A
Second cavity material	Stainless steel

744495 2/2

Integrated Cleaning system	N/A
Interior Lights	N/A
Grids	1
Number of trays T21, T22	1
Motorized Turn Spit	No
Short description of the product	D50M3AD0-N00 - BUD714221CX - RL HI6

Energy label information / Performance :

Cavity capacity - cavity 1	54
Type of energy - oven 2	A
Energy consumption of conventional oven 2	0 kWh
Energy consumption of fan-assisted oven	N/A
Useful volume of oven 2	N/A
Size of oven 2	N/A
Energy efficiency class - cavity 1	A
Energy consumption forced air convection - cavity 1	0,07 kWh
Headhle values (of equity) equity 1	E4 Litros

Useable volume (of cavity) - cavity 1 54 Litres

