

Assembly Manual

Salome Hardtop Gazebo 3m x 4.2m /10ft x 14ft
Galvanized Steel Roof
ITM. / ART. 1403230



IMPORTANT. PLEASE READ CAREFULLY AND RETAIN FOR FUTURE REFERENCE

For Outdoor Use only. Not for Commercial Use.



If you experience any product malfunction, defect or are missing any parts, please contact our customer service department at 1-855-586-8118. Our hours of operation are Monday - Friday, 8:30 AM to 5:30PM EST.



SAFETY INFORMATION

For the best assembly and usage experience, please read through all steps before attempting to assemble, operate or install the product

WARNING

- Maximum load for the roof :18kg (40lbs).
- **WARNING:** KEEP ALL FLAME AND HEAT SOURCES AWAY FROM THIS GAZEBO FABRIC. This item meets the CPAI-84 flammability requirements. The fabric may burn if left in continuous contact with any flame source. The application of any foreign substance to the tent fabric may cause the flame-resistant properties ineffective.
- In the case of any high winds or high amounts of rain/snow, please remove the mosquito net, clear the snow from the roof immediately and check for damage before continuing use.
- **WARNING:** It is the consumer's responsibility to comply with any building codes, ordinances, zoning limitations, or local homeowner's restrictions and obtain any required permit, before purchase and installation of the products

CAUTION

SET UP YOUR GAZEBO PROPERLY

- This product is heavy so do not attempt to assemble this item alone. For the best and safest assembly experience, we recommend four (4) adults.
- Keep all children, pets and other obstructions away from assembly area.
- If any part is missing or damaged, do not attempt to assemble the product.
- In order to avoid damage to the gazebo and it's components, please use the appropriate tools.
- Do not use the structure as support.
- Check all bolts on a regular basis to maintain the sturdiness and safety of the structure.
- Keep instruction manual for future use.
- Do not climb on top of the gazebo. Falling off the gazebo can result in serious injury, possibly even death.

EXAMINE YOUR GAZEBO


- Examine occasionally to ensure there are no loose parts.
- If loose parts are found, they should be retightened immediately.

PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 3 hours.

Tools Required for Assembly (not included in the box):



Hammer



Screwdriver



Safety goggles



Gloves



Hardhat






















Stepladder




















Electric drill





Components

A1	Left-Long Lintel	2	
A2	Right-Long Lintel	2	
A3	Left-Short Lintel	2	
A4	Right-Short Lintel	2	
B	Connector	4	
C1	Corner cover	4	
C2	Lintel Cover	4	
D	Connection Piece	8	
E	Post	4	
F1	Base Plate	4	
F2	Base Cover	4	
G	Top Cover	4	
G1	Cover	4	
H	Corner Piece	4	
I1	Long-Top Bar	4	
I2	Short-Top Bar	8	





J1	Left-Support Bar	4	
J2	Right-Support Bar	4	
K1	Top Frame	2	
K2	Top Connecting Tube	2	
L1	Small Top Lintel	2	
L2	Small Top Lintel	2	
M1	Center Cover	1	
M2	Center Connector	1	
M3	Hook	1	
N	Small Top Support Bar	4	
N1	Small Top Center Bar	2	
O	Short Bar-Small Top	2	
O1	Left-Long Bar-Small Top	2	
O2	Right-Long Bar-Small Top	2	
P1	Left-Long Bar-Big Top	4	
P2	Right-Long Bar-Big Top	4	
P3	Left-Short Bar-Big Top	4	
P4	Right-Short Bar-Big Top	4	
P5	Top Center Bar-Big Top	8	

Q1	Short Edge Sealing -Small Top	2	
Q2	Long Edge Sealing -Small Top	2	
R1	L Plate	2	
R2	L Plate	4	
R3	L Plate	2	
R4	L Plate	2	
S1	Long Trim Strip	16	
S2	Short Trim Strip	8	
T1	Small Top Cover	4	
T2	Big Top Cover	4	
U	Air Vent	2	
U1	Air Vent	2	
U2	Mosquito Netting	1	
V1	Big Top Panel	4	



V2	Big Top Panel	4	
V3	Big Top Panel	2	
V4	Big Top Panel	4	
V5	Big Top Panel	4	
V6	Big Top Panel	2	
V7	Big Top Panel	2	
V8	Big Top Panel	2	

W1	Small Top Panel	2	
W2	Small Top Panel	2	
W3	Small Top Panel	2	
W4	Small Top Panel	2	


Hardware

AA	Bolt\Flat Washer (m6*15)	282		HH	Bolt\Flat Washer\ Nut (m6*55)	14	
BB	Bolt\Flat Washer (m8*15)	48		JJ	Screw	8	
CC	Bolt\Flat Washer (m6*20)	60		KK	Wrench	2	
DD	Bolt\Flat Washer\ Nut (m6*32)	8		LL	Allen Wrench	2	
EE	Bolt\Plastic Washer (m6*35)	8		MM	Stake	16	
FF	Bolt\Flat Washer (m6*40)	2		NN	Allen Wrench	1	
GG	Bolt\Plastic Washer (m6*40)	8		OO	Sleeve	1	

Step1



1. Slide the Base Cover (F2) over the Post (E), then connect the Base Plate (F1) to the Post (E) with Bolts (AA), as per Fig 1. Connect the post (E) to the Top Cover (G) with Bolts (AA), as per Fig 2.



Step2









Fig 3




2. Insert the Connector (B) into the Left-Long Lintel/Left-Short Lintel (A1/A3), fix them with the three bolts but don't tighten them. Insert the Right-Long Lintel/Right-Short Lintel (A2/A4) into the Connector (B), fix the Connection Piece (D) to the lintel with Bolts (BB), connect the Lintel Cover (C2) to the lintel with bolts (AA), connect the Long Lintel (A1/A2) and the Connection Piece (D) with bolts (AA), as per Fig 3.






Step3




3. Connect the Top Cover (G) to the Left-Long Lintel (A1) with Bolts (AA), as per Fig 5. Connect the Top Cover (G) to the Right-Long Lintel (A2) with Bolts (AA), as per Fig 6.






Step4






4. Fix the Support Bar (J1/J2) on the Post (E) and the Left-Long Lintel/Right-Long Lintel (A1/A2) with Bolts (AA), as per Fig 7 & Fig 8.




Step5








5. Connect the Post (E) to Left-Short Lintel/Right-Short Lintel (A3/A4) with Bolts (AA), fix the Support Bar (J1/J2) on the Post (E) and lintel with Bolts (AA). Connect the Corner Piece (H) to the Top Cover (G) with Bolts (CC). Connect the Cover (G1) to the Top Cover (G) with Bolts (AA), as per Fig 9-Fig 13.




Step6



6. Insert the Top Connecting Tube (K2) into the Small Top Frame (K1), then connect them with Bolts (AA), as per Fig 14.




Step7



7. Connect the Long-Top Bar (I1) to the Corner Piece (H) with Bolts (HH), connect the Long-Top Bar (I1) to the Small Top Frame (K1) with Bolts (AA), as per Fig 15-Fig 16.

Note: Be sure measurements diagonally across the overall frame are within 5mm of the same distance after completing this step.



Step8





Fig 17






Fig 18



8. Connect the Short-Top Bar (I2) to the Top Connecting Tube (K2) with Bolts (AA), connect the Connection Piece (D) to the Short-Top Bar (I2) with Bolts (AA), as per Fig 17-Fig 18. Connect Short-Top Bar (I2) with the Small Top Frame (K1) at the adjacent side with Bolts (AA).



Step9






Fig 19



9. Connect the Small Top Lintel (L1) to the Small Top Lintel (L2) with Bolts (DD), connect the Small Top Support Bar (N) to the Center Connector (M2) with Bolts (HH), then insert the Small Top Support Bar (N) into the Small Top Lintel (L2). Connect the Hook (M3) to the Center Connector (M2), as per Fig 19.



Step10







Fig 20




X4



X2



X2




X2


10. Connect the Small Top Lintel (L2) to the Small Top Frame (K1) with Bolts (AA). Connect the Top Connecting Tube (K2) to the Small Top Lintel (L1) with Bolts (AA), connect the Small Top Center Bar (N1) to the Top Connecting Tube (K2) with Bolts (AA), connect the Small Top Center Bar (N1) to the Center Connector (M2) with Bolts (HH), as per Fig 20.



AAx12






HHx2




N1x2

Step11



11. Connect the Bar-Small Top (O/O2) to the Small Top Support Bar (N), connect the Bar-Small Top (O1/O2) to the Small Top Center Bar (N1) with Bolts (AA), as per Fig 21-Fig 22.



Step12





Fig 23



12. Assemble the Small Top Panels (W1, W2, W3) in sequence, fix them on the Long Bar-Small Top (O1/O2), then install the Small Top Panel (W4), attach on the Small Short Top Bar (O), as per Fig 23.





Fig 24



13. Connect the Small Top Panel (T1) to the Small Top Support Bar (N) with Bolts (EE), connect the Center Connector (M2) to the Center Cover (M1) with Bolts (FF), connect the Long Edge Sealing-Small Top (Q2) to the Left-Long Bar-Small Top/Right-Long Bar-Small Top (O1/O2) with Bolts (AA), then connect the Short Edge Sealing-Small Top (Q1) to the Short Bar-Small Top (O), as per Fig 24.

 AAx8	 FFx2	 Q1x2	 T1x2
 EEx8	 M1x1	 Q2x2	

Step14






Fig 25



14. Connect the Bar-Big Top (P1/P3) to the Long-Top Bar/Short-Top Bar (I1/I2) with Bolts (AA), connect the Bar-Big Top (P2/P4) to the Long-Top Bar/Short-Top Bar (I1/I2) with Bolts (AA), connect the Bar-Big Top (P5) to the Short-Top Bar (I2) with Bolts (AA), as per Fig 25. Connect the Bar-Big Top (P1) with the Long-Top Bar/Short-Top Bar (I1/I2) and Bar-Big Top (P2) with Long-Top Bar/Short-Top Bar (I1/I2) at the adjacent side with Bolts (AA). Then Connect the Bar-Big Top (P3) with the Long-Top Bar/Short-Top Bar (I2/I1) and Bar-Big Top (P4) with Long-Top Bar/Short-Top Bar (I2/I1) with Bolts (AA).












Fig 26







15. Install the big top panels in sequence as per the sequence in the diagram, fix the big top panel on the lintel through the Short Trim Strip/Long Trim Strip (S1/S2) with Bolts (CC), as per Fig 26. Fix the L Plates (R1/R2/R3/R4) on the Top Connecting Tube (K1/K2) with Bolts (AA), connect the other side in the same way, as per Fig 26.



Step16



16. Connect the Long-Top Bar (I1) to the Big Top Cover (T2) from inside of the gazebo with Bolts (GG), as per Fig 27. Connect the Corner cover (C1) to the Left-Long Lintel/Right-Short Lintel (A1/A4) with Bolts (JJ), as per Fig 28. Complete other corners in the same way.



Step17







Fig 30






Fig 31

17. Fix the Air Vent (U/U1) on the Small Top Lintels (L1/L2), as per Fig 29. Hang the Mosquito Netting (U2) on the hook of the lintel, as per Fig 30. Fix the Stake (MM) onto the ground through the Base Plate (F1), as per Fig 31.



CARE AND MAINTENANCE

- For cleaning, use a mild detergent solution, rinse with water, and allow to air dry. Do not use acetone, abrasive, or other special detergents as they would be harmful to the product's finish.
- Due to the nature of steel, surface oxidation (rusting) will occur if this protective coating is scratched. This is a natural process. To minimize this condition, it is recommended that care be taken when assembling and handling the product in order to prevent the paint from being scratched.

This warranty does not affect your statutory rights. In case of any malfunction of your COSTCO product (failure, missing part, etc.), please contact one of our service technicians at our toll-free service line at 1-855-586-8118 from EST 9 AM to 5 PM, Monday to Friday.

Costco Wholesale Canada Ltd.* 415 W.
Hunt Club Road Ottawa, Ontario
K2E 1C5, Canada
1-800-463-3783
www.costco.ca

* faisant affaire au Québec sous
le nom les Entrepôts Costco

Costco Wholesale UK Ltd /
Costco Online UK Ltd Hartspring Lane
Watford, Herts
WD25 8JS
United Kingdom
01923 213113
www.costco.co.uk

Costco Wholesale Korea, Ltd.
40, Iljik-ro
Gwangmyeong-si
Gyeonggi-do, 14347, Korea
1899-9900
www.costco.co.kr

MADE IN CHINA
FABRIQUÉ EN CHINE
HECHO EN CHINA
