













#### Included accessories

1 x ice cube tray

#### **Optional accessories**

KSZB0S00:

## This NoFrost built-in freezer needs no defrosting and features a malfunction warning signal in case of increasing temperature.

- No Frost: never defrost again, thanks to perfect protection from ice formation that saves time and effort.
- Big Box drawer: easily stack food containers and store larger items in your freezer.
- Quiet appliances: enjoy a calm and relaxing home.
- Super Freeze function: prevents the food in your freezer from defrosting.
- Intelligent Inverter Technology: ensuring stable temperature control and efficient performance.

#### **Technical Data**

Energy Efficiency Class: E

Average annual energy consumption in kilowatt hour per year

(kWh/a): 235 kWh/a

Sum of volume of frozen compartments: 212 l

Airborne acoustical noise emissions: 35 dB(A) re 1pW

Airborne acoustical noise emission class: B

Product category: Upright freezer Built-in / Free-standing: Built-in Frost free system: Fridge and freezer

Climate class: SN-T

Door panel options: Not possible Width of the appliance: 558 mm

Depth: 545 mm

Dimensions of the packed product (HxWxD):  $1840 \times 610 \times 640$ 

mm

Required niche size for installation (HxWxD): 1775 x 560 x 550

mm

Warning signal / malfunction: Both visual and audible

Defrost: Automatic

Cover door installation system: Fixed-mounted

Number of drawers/baskets (Stck): 5 Number of freezing flaps (Stck): 2

Door lock: No

Thermometer freeze section: Digital

Light: No

Length electrical supply cord: 230.0 cm

Door hinge: Left reversible Net weight: 64.4 kg Gross weight: 68.7 kg Multi-Flow Air Tower: No Number of compressors: 1

Number of independent cooling systems: 1

Economy setting: No
Fast freezing function: Yes
Door bin adjustability - Freezer: No
Tilt-out door bins in freezer: No
Number of shelves - Freezer: 0
Door bin adjustability - Freezer: No
Shelf Material - Freezer: Safety glass

Reversible Door Hinge: Yes Fuse protection: 13 A Frequency: 50 Hz

Door panel options: Not possible Installation typology: Full-integrated Noise level: 36 dB(A) re 1pW

Energy Star Qualified: No Plug type: GB plug

Required cutout/niche size for installation (in): x Dimensions of the packed product: 72.44 x 24.01 x 25.19

Net weight: 142.000 lbs Gross weight: 151.000 lbs

Included accessories: 1 x ice cube tray



# This NoFrost built-in freezer needs no defrosting and features a malfunction warning signal in case of increasing temperature.

- No Frost, Built-in tall freezer
- Fixed hinge

#### **Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 212 l
- Annual Energy Consumption: 235 kWh/a
- EU19\_Fast freezer facility\_D
- Noise Level : 35 dB , EU19\_Noise emission class\_D: B

#### **Functions**

- Fixed hinge

#### Design features

- NO\_FROST\_NEU\_BL, never have to defrost ever again
- LED Electronic control
- SuperFreeze function with automatic deactiviation
- Freezer malfunction warning signal: optical, acoustical

#### Food freshness system

- Net Freezer Volume : 212 l
- Net 4\* compartment volume : 212 l
- Freezing capacity 24h : 13.8 kg
- Temperature rise time : EU19\_Temperature rise time\_D: 8 H
- 5 transparent freezer drawers, 2 BigBox
- 2 hinged freezer compartment
- Vario Zone removable safety glass shelves for extra space!

#### Dimension and installation

- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

#### Key features - Fridge section

- Door left hinged, door reversible
- Climate Class: SN-T
- Length of power cord:230 cm
- **-** 220 240 V

#### **Key features - Freezer section**

- ice cube tray

#### **Country Specific Options**


- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.


#### **Additional features**


#### **Design features**

Dimension and installation










measurements in mm


Maximal permissible weight of the unit fronts



Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door	undamped hinge,	damped hinge,
Hinges in mm:	Door in kg:	Door in kg:
1500-1750	22	22

measurements in mm Recommended gap dimensions for flat hinges



The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

